

(iii) In eukaryotes, the TATA box

sequences required for initiation of transcription are present in

Box

(a) 10 nucleotides upstream of transcription start site (TSS)

(b) 25 nucleotides upstream TSS

(c) 10 nucleotides downstream TSS

(d) 25 nucleotides downstream TSS

(iii) The enzyme responsible for photo-

reactivation of DNA is

(a) Photoligase

(b) Photoreductase

(c) Photooxidase

(d) Photolyase

(iv) The nucleotide cap that is attached at the 5' end of mRNA during capping is

(a) 5-methyl guanosine

(b) 7-methyl guanosine

(c) 5-acetyl guanosine

(d) 7-acetyl guanosine

(v) Which of the following reaction is required for proofreading during DNA replication by DNA polymerase III?

(a) 5' to 3' exonuclease activity

(b) 3' to 5' endonuclease activity

(c) 3' to 5' exonuclease activity

(d) 5' to 3' endonuclease activity

(vi) Removal of intron is called as

(a) Splicing

(b) Capping

(c) RNA editing

(d) All of the above

(vii) Which of the following amino acids has the highest number of codons?

(a) Proline
 (b) Leucine
 (c) Tryptophan

(d) Aspartic acid

3. Write short notes on the following:

$$2 \times 4 = 8$$

(a) Pyrimidine dimerization

(b) Split genes

(c) 'Clover Leaf Model' of t-RNA

(d) Gene silencing

3. Answer **any three** from the following:

10

(a) Write the steps involved in synthesis of

rRNA.

(b) Write a note on the π -conjugation in $\text{C}_6\text{H}_5\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$.

of a prokaryotic ribosome

(c) Write a brief account on the mechanism of mRNA splicing in eukaryotes.

(d) What is RNA editing? Write the

role of editosome and guide RNA in AUSPICULUS. The mechanism of gRNA in insertion/deletion type of RNA editing. 1+4=5

(1) Within the differences between absent

interfering RNA (siRNA) and micro RNA

18 - *seguir* *seguir* *seguir* *seguir*
(miRNA). *seguir* *seguir* *seguir* *seguir*

4.1.1 (a) Why is DNA replication known

as 'high-fidelity' reaction? Briefly

explain the mechanism of DNA replication in eukaryotes.

$$10 = 5 + 5 \quad \text{No duplicates in } 2+8-10$$

Or

(b)

(b) Describe the characteristic features of two classes of aminoacyl-tRNA synthetases. Explain the process of interaction between the two classes of aminoacyl-tRNA synthetases and their corresponding tRNAs. 4+6=10

5. (a)

What do you mean by degeneracy of the genetic code? Briefly explain the mechanism of translation of mRNA in prokaryotes with an elaborate discussion on transcription initiation, elongation and termination. 2+8=10

Or

(b)

Briefly discuss the process of transcription in prokaryotes. Mention the importance of transcription factors in transcription process. 8+2=10

6.

(a)

What are inducers and co-repressors? What is an operon constituted of? Briefly explain the lactose (lac) operon in *Escherichia coli*. 2+1+7=10